

Allergen Policy 2026



Introduction

An allergy is a reaction by the body's immune system to substances that are usually harmless. They trigger symptoms ranging from mild rashes, itching, or sneezing but can cause a much more severe reaction called anaphylaxis.

Anaphylaxis is a severe systemic allergic reaction. It is at the extreme end of the allergic spectrum. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes often include foods, pollen, insect stings, or medications.

2. Role and Responsibilities

Parent responsibilities:

- On entry to the school, it is the parent's responsibility to inform the school office of any allergies. This information should include all previous severe allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents are to supply a copy of their child's Allergy Action Plan (BSACI plans preferred) to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. GP/allergy specialist.
- All pupils who have asthma should be issued with an asthma action plan by their healthcare professional.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.

Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.

Staff Responsibilities:

- All staff will complete anaphylaxis training. Training is provided for all staff on a yearly basis and on an ad-hoc basis for any new members of staff.
- Student allergens will be added to the School's MIS, Arbor, and pinned to the top of the student's profile page.
- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion



- A designated member of staff will ensure that the up to date Allergy Action Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure all medication is in date however the designated member of staff will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

A designated member of staff keeps a register of pupils who have been prescribed an AAI and a record of use of any AAI(s) and emergency treatment given.

Pupil Responsibilities:

- Where possible, pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.
- Pupils who are trained and confident to administer their own auto-injectors will be encouraged to take responsibility for carrying them on their person at all times.

3. Allergy Action Plans

Allergy action plans are designed to function as Individual Healthcare Plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto- injector. It is the parent/carer's responsibility to complete the allergy action plan with help from a healthcare professional (e.g. GP/Allergy Specialist) and provide this to the school.

4. Emergency Treatment and Management of Anaphylaxis

What to look for:

- swelling of the mouth or throat
- difficulty swallowing or speaking
- difficulty breathing
- sudden collapse / unconsciousness
- hives, rash anywhere on the body
- abdominal pain, nausea, vomiting
- sudden feeling of weakness
- strong feelings of impending doom

Anaphylaxis is likely if all of the following 3 things happen:

- sudden onset (a reaction can start within minutes) and rapid progression of symptoms life threatening airway and/or breathing difficulties and/or circulation



problems (e.g. alteration in heart rate, sudden drop in blood pressure, feeling of weakness).

- changes to the skin e.g. flushing, urticaria (an itchy, red, swollen skin eruption showing markings like nettle rash or hives), angioedema (swelling or puffing of the deeper layers of skin and/or soft tissues, often lips, mouth, face etc.) Note: skin changes on their own are not a sign of an anaphylactic reaction, and in some cases don't occur at all.
- If the pupil has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. Adrenaline is the mainstay of treatment and it starts to work within seconds. Adrenaline should be administered by an injection into the muscle (intramuscular injection).

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

Adrenaline must be administered with the minimum of delay as it is more effective in preventing an allergic reaction from progressing to anaphylaxis than in reversing it once the symptoms have become severe.

ACTION:

- Stay with the child and call for help. **DO NOT MOVE CHILD OR LEAVE UNATTENDED**
- Remove trigger if possible (e.g. Insect stinger)
- Lie child flat (with or without legs elevated) – A sitting position may make breathing easier
- **USE ADRENALINE WITHOUT DELAY** and note time given. (inject at upper, outer thigh - through clothing if necessary)
- **CALL 999 and state ANAPHYLAXIS**
- If no improvement after 5 minutes, administer second adrenaline auto-injector
- If no signs of life commence CPR
- Phone parent/carer as soon as possible

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.



5. Supply, storage and care of medication

There should be an anaphylaxis kit which is kept safely, not locked away and accessible to all staff. Medication should be stored in a rigid box and clearly labelled with the pupil's name and a photograph.

The pupil's medication storage box should contain:

- adrenaline injectors i.e. EpiPen® or Jext® (two of the same type being prescribed)
- an up-to-date allergy action plan
- antihistamine as tablets or syrup (if included on plan)
- spoon if required
- asthma inhaler (if included on plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the First Aid Lead will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant adrenaline auto-injectors their child is prescribed, to make sure they can get replacement devices in good time.

Storage

AAls should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAls are single use only and must be disposed of as sharps. Used AAls can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin. Sharps bins to be obtained from and disposed of by a clinical waste contractor. The sharps bin is kept in the bathroom on the ground floor.

6. Using Spare ADs in an Emergency Situation Without Prior Consent

The [Human Medicines \(Amendment\) Regulations 2017](#) do not require consent to have been obtained for spare adrenaline devices to be used in an emergency.

The school will obtain advance consent from parents/carers or pupils for spare adrenaline devices to be used, so that in an emergency, consent can be assumed to be in place.



However, in an emergency situation, anyone may take reasonable action to save a life without checking whether prior consent has been given. This avoids potentially fatal delays in treatment.

7. Staff Training

The school ensures that all staff expected to be present during times when pupils are scheduled to be on site receive allergy awareness training at least annually. New starters will complete this training as part of their induction.

Allergy awareness training will ensure that all staff:

- Have an awareness of allergy, the risks it poses, how allergic reactions can occur and how to manage it
- Understand that allergy includes multiple conditions (food allergy, asthma, eczema, hay fever, others), which can co-exist
- Understand the difference between food allergy, coeliac disease and food intolerance
- Know where to find information on allergy triggers
- Can identify the range of symptoms of allergic reactions
- Understand and can recognise anaphylaxis
- Know how to respond in an emergency, including:
 - Calling emergency services and informing parents/carers
 - How to locate and administer emergency medication
 - How to use the medication/device in an emergency
- Understand the impact allergy can have on a pupil's wellbeing
- Understand the school's allergy safety policy
- Know how to check whether an individual is on the record of those with known allergy, and how to use an allergy or asthma action plan
- Understand their responsibilities in reducing the risk of individuals with known allergy coming into contact with their known allergens
- Understand how to report an allergic reaction or case of anaphylaxis (whether an incident or a 'near miss')

8. Inclusion and Safeguarding

Bingley Grammar School is committed to ensuring that all children with medical conditions, including allergies are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.



9. Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food for Health <http://www.educationforhealth.org>

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) <https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020)

<https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834> Guidance on the use of adrenaline auto-injectors in schools (Department of Health, 2017)

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf products.

The school office will inform the kitchen staff of pupils with food allergies by registering the information on Arbor, which will be displayed on the school catering system.

The Kitchen will display all allergen sensitive children in a manner that supports servers to provide food safely.

The school adheres to the following Department of Health guidance recommendations:

Use of food in crafts, cooking classes, science experiments and special events needs to be considered and may need to be restricted / risk assessed depending on the allergies of particular children and their age.

10. School Trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion. The school will conduct a risk assessment for any pupil at risk of anaphylaxis taking part in a school trip

Overnight school trips may be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).



11. Assessing Risk

The school will conduct a risk assessment for any pupil at risk of anaphylaxis taking part in:

- Lessons such as food technology
- Science experiments involving foods
- Crafts using food packaging
- Off-site events and school trips
- Any other activities involving animals or food, such as animal handling experiences or baking
- A risk assessment for any pupil at risk of an allergic reaction will also be carried out where a visitor requires a guide dog.

12. Incident Recording

The school will record serious incidents and 'near misses' relating to allergy safety as soon as is feasible. The incident will be recorded in the accident book, including the following information:

- Who was affected
- What happened, when and where
- Why the incident occurred (as far as is known)
- How staff and pupils responded and what was done to support the individual
- Whether emergency services were called
- How the incident concluded

The school will approach serious incidents and 'near misses' in a 'no blame' spirit of seeking to learn lessons.

13. Incident Reporting

The parents/carers of a pupil should be notified of the incident or 'near miss' as soon as possible. The school will share the report with the pupil's parents, the pupil or the individual involved.

They will be given the opportunity to discuss what happened and to contribute their views to the consequent lessons learned review. The school will then confirm what we have learnt from the incident and outline any actions we are taking as a result.

In some cases, the impact of exposure to an allergen at school may be delayed and not recognised until the pupil is at home. This means that incident reporting is not limited to staff – the pupil, parents/carers or others (such as healthcare professionals) will need to report to the school if there has been an incident with a delayed reaction.



Staff will always share the incident report with the First Aid Lead, who will consider whether the allergy safety arrangements in place were appropriate or if changes are needed to this policy and/or the pupil's IHP. Any learning will be shared appropriately with staff so they can act on them and reduce the chance of an incident reoccurring.

The school will also share the report with other agencies in the following circumstances:

With the Health and Safety Executive (HSE): incidents which arise directly out of the way the school carried out a work activity which results in death or immediate hospitalization. For example, where a pupil has suffered harm after consuming an allergen due to incorrect preparation of food by a member of staff.

In the event that the incident or 'near miss' was related to the delivery of a care plan or action plan issued by a healthcare professional, the relevant healthcare professional will be notified.

14. Useful Links

Anaphylaxis Campaign - <https://www.anaphylaxis.org.uk/>

<https://www.allergyuk.org/schools/whole-school-allergy-awareness-andmanagement>

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Monitoring

This policy will be reviewed and approved annually by the DSL and First Aid Lead, or more frequently if a serious incident or 'near miss' identifies an area for improvement.

Originator: MMA,E1V,R1P,C2P

Partner Governor: Stewart Petrie

Ratified by the Governing Body

Date of Review: July 2026

Next Review: July 2027

